FILE 'HOME' ENTERED AT 12:23:30 ON 11 DEC 2007

=> file reg
COST IN U.S. DOLLARS

	SINCE FILE ENTRY	TOTAL SESSION
FULL ESTIMATED COST	0.21	0.21

FILE 'REGISTRY' ENTERED AT 12:23:40 ON 11 DEC 2007
USE IS SUBJECT TO THE TERMS OF YOUR STN CUSTOMER AGREEMENT.
PLEASE SEE "HELP USAGETERMS" FOR DETAILS.

Property values tagged with IC are from the ZIC/VINITI data file
provided by InfoChem.

STRUCTURE FILE UPDATES: 10 DEC 2007 HIGHEST RN 957336-90-2
DICTIONARY FILE UPDATES: 10 DEC 2007 HIGHEST RN 957336-90-2

New CAS Information Use Policies, enter HELP USAGETERMS for details.

TSCA INFORMATION NOW CURRENT THROUGH June 29, 2007

Please note that search-term pricing does apply when
conducting SmartSELECT searches.

REGISTRY includes numerically searchable data for experimental and
predicted properties as well as tags indicating availability of
experimental property data in the original document. For information
on property searching in REGISTRY, refer to:

http://www.cas.org/support/stngen/stndoc/properties.html

=>
Uploading C:\Program Files\Stnexp\Queries\10814342.str

L1 STRUCTURE UPLOADED

=> d l1
L1 HAS NO ANSWERS
L1 STR



Structure attributes must be viewed using STN Express query preparation.

=> s l1
SAMPLE SEARCH INITIATED 12:24:18 FILE 'REGISTRY'
SAMPLE SCREEN SEARCH COMPLETED - 61 TO ITERATE

100.0% PROCESSED 61 ITERATIONS 3 ANSWERS
SEARCH TIME: 00.00.01

FULL FILE PROJECTIONS: ONLINE **COMPLETE**
BATCH **COMPLETE**

PROJECTED ITERATIONS: 752 TO 1688
PROJECTED ANSWERS: 3 TO 163

L2 3 SEA SSS SAM L1

=> d scan

L2 3 ANSWERS REGISTRY COPYRIGHT 2007 ACS on STN
IN 1-Piperidinyloxy, 4-[3-(diethylamino)-1-oxopropyl]-4-hydroxy-2,2,6,6-tetramethyl-
MF C16 H31 N2 O3



HOW MANY MORE ANSWERS DO YOU WISH TO SCAN? (1):2

L2 3 ANSWERS REGISTRY COPYRIGHT 2007 ACS on STN
IN 1-Piperidinyloxy, 4,4'-(1,10-dioxo-1,10-decanediyl)bis[2,2,6,6-tetramethyl- (9CI)
MF C28 H50 N2 O4



L2 3 ANSWERS REGISTRY COPYRIGHT 2007 ACS on STN
IN 1-Piperidinyloxy, 4-acetyl-2,2,6,6-tetramethyl-4-[1-oxo-3-(trimethylammonio)propyl]-
MF C17 H32 N2 O3
CI COM



ALL ANSWERS HAVE BEEN SCANNED

```
=> s l1 full
FULL SEARCH INITIATED 12:24:54 FILE 'REGISTRY'
FULL SCREEN SEARCH COMPLETED -      1090 TO ITERATE

100.0% PROCESSED     1090 ITERATIONS                                  85 ANSWERS
SEARCH TIME: 00.00.01

L3            85 SEA SSS FUL L1

=> file caplus
COST IN U.S. DOLLARS                                SINCE FILE      TOTAL
                                                       ENTRY    SESSION
FULL ESTIMATED COST                                   172.55     172.76

FILE 'CAPLUS' ENTERED AT 12:25:00 ON 11 DEC 2007
USE IS SUBJECT TO THE TERMS OF YOUR STN CUSTOMER AGREEMENT.
PLEASE SEE "HELP USAGETERMS" FOR DETAILS.
COPYRIGHT (C) 2007 AMERICAN CHEMICAL SOCIETY (ACS)


Copyright of the articles to which records in this database refer is
held by the publishers listed in the PUBLISHER (PB) field (available
for records published or updated in Chemical Abstracts after December
26, 1996), unless otherwise indicated in the original publications.
The CA Lexicon is the copyrighted intellectual property of the
American Chemical Society and is provided to assist you in searching
databases on STN.  Any dissemination, distribution, copying, or storing
of this information, without the prior written consent of CAS, is
strictly prohibited.

FILE COVERS 1907 - 11 Dec 2007  VOL 147 ISS 25
FILE LAST UPDATED: 10 Dec 2007  (20071210/ED)

Effective October 17, 2005, revised CAS Information Use Policies apply.
They are available for your review at:

http://www.cas.org/infopolicy.html

=> s l3 (L) battery
            52 L3
        141088 BATTERY
L4           0 L3 (L) BATTERY

=> s l3 and battery
            52 L3
        141088 BATTERY
L5           1 L3 AND BATTERY

=> d l5 ibib

L5   ANSWER 1 OF 1  CAPLUS  COPYRIGHT 2007 ACS on STN
ACCESSION NUMBER:         2004:822970  CAPLUS
DOCUMENT NUMBER:          141:317244
TITLE:                    Electrode for an electrochemical device
INVENTOR(S):              Inatomi, Yuu; Shimada, Mikinari; Mino, Norihasa; Hojo,
                          Nobuhiko
PATENT ASSIGNEE(S):       Matsushita Electric Industrial Co., Ltd., Japan
SOURCE:                   Eur. Pat. Appl., 15 pp.
                          CODEN: EPXXDW
DOCUMENT TYPE:            Patent
LANGUAGE:                 English
FAMILY ACC. NUM. COUNT:   1
PATENT INFORMATION:
```

PATENT NO.	KIND	DATE	APPLICATION NO.		DATE
EP 1465269	A2	20041006	EP 2004-251966		20040401
EP 1465269	A3	20060913			
R: AT, BE, CH, DE, DK, ES, FR, GB, GR, IT, LI, LU, NL, SE, MC, PT, IE, SI, LT, LV, FI, RO, MK, CY, AL, TR, BG, CZ, EE, HU, PL, SK, HR					
US 2004197653	A1	20041007	US 2004-814342		20040401
JP 2004319470	A	20041111	JP 2004-109347		20040401
CN 1536689	A	20041013	CN 2004-10034251		20040405
PRIORITY APPLN. INFO.:			JP 2003-99989	A	20030403

=> s l3 and electrode
52 L3
533493 ELECTRODE
L6 2 L3 AND ELECTRODE

=> d l6 1-2 ibib

L6 ANSWER 1 OF 2 CAPLUS COPYRIGHT 2007 ACS on STN
ACCESSION NUMBER: 2004:822970 CAPLUS
DOCUMENT NUMBER: 141:317244
TITLE: Electrode for an electrochemical device
INVENTOR(S): Inatomi, Yuu; Shimada, Mikinari; Mino, Norihasa; Hojo, Nobuhiko
PATENT ASSIGNEE(S): Matsushita Electric Industrial Co., Ltd., Japan
SOURCE: Eur. Pat. Appl., 15 pp.
CODEN: EPXXDW
DOCUMENT TYPE: Patent
LANGUAGE: English
FAMILY ACC. NUM. COUNT: 1
PATENT INFORMATION:

PATENT NO.	KIND	DATE	APPLICATION NO.		DATE
EP 1465269	A2	20041006	EP 2004-251966		20040401
EP 1465269	A3	20060913			
R: AT, BE, CH, DE, DK, ES, FR, GB, GR, IT, LI, LU, NL, SE, MC, PT, IE, SI, LT, LV, FI, RO, MK, CY, AL, TR, BG, CZ, EE, HU, PL, SK, HR					
US 2004197653	A1	20041007	US 2004-814342		20040401
JP 2004319470	A	20041111	JP 2004-109347		20040401
CN 1536689	A	20041013	CN 2004-10034251		20040405
PRIORITY APPLN. INFO.:			JP 2003-99989	A	20030403

L6 ANSWER 2 OF 2 CAPLUS COPYRIGHT 2007 ACS on STN
ACCESSION NUMBER: 1993:13189 CAPLUS
DOCUMENT NUMBER: 118:13189
TITLE: Electrode reactions of nitroxide radicals. Part 10. Kinetics and mechanisms of the redox reactions of the 2,2,6,6-tetramethylpiperidine-1-oxyl derivatives in acetonitrile solutions on the gold electrode. Experiment and simulation analysis
AUTHOR(S): Krzyczmonik, Pawel; Scholl, Henryk
CORPORATE SOURCE: Inst. Chem., Lodz Univ., Lodz, 90 136, Pol.
SOURCE: Journal of Electroanalytical Chemistry (1992), 335(1-2), 233-51
CODEN: JECHES
DOCUMENT TYPE: Journal
LANGUAGE: English

=> FIL STNGUIDE
COST IN U.S. DOLLARS SINCE FILE ENTRY TOTAL SESSION

FULL ESTIMATED COST 10.51 183.27

FILE 'STNGUIDE' ENTERED AT 12:26:26 ON 11 DEC 2007
USE IS SUBJECT TO THE TERMS OF YOUR CUSTOMER AGREEMENT

FILE CONTAINS CURRENT INFORMATION.
LAST RELOADED: Dec 7, 2007 (20071207/UP).

=> d l6 2 hitstr ab kwic
YOU HAVE REQUESTED DATA FROM FILE 'CAPLUS' - CONTINUE? (Y)/N:y

L6 ANSWER 2 OF 2 CAPLUS COPYRIGHT 2007 ACS on STN
IT 144913-88-2
RL: PRP (Properties)
(formal potential and diffusion and electrochem. redox reactions of, in acetonitrile)
RN 144913-88-2 CAPLUS
CN 1-Piperidinyloxy, 4-hydroxy-2,2,6,6-tetramethyl-4-propyl- (CA INDEX NAME)



AB The redox reaction Nox• .dblarw. Nox+ + e- of the 8 free nitroxide radicals, which are derivs. of 2,2,6,6-tetramethylpiperidine-1-oxyl, were investigated in MeCN solns. (c = 2.5 + 10-4-1 + 10-2 mol dm-3) on a Au working electrode. Cyclic voltammetry (v = 0.02-10.0 V s-1), impedance measurements, and controlled-potential electrolysis were used. The reaction parameters (E°f, Dox, αn) and the Taft coeffs. σ'' were calculated on the basis of the exptl. results. The kinetics and the mechanisms of these processes are discussed, and a model of the reaction mechanism with weak adsorption of both forms of the reactants is proposed on the basis of the simulation anal.

TI Electrode reactions of nitroxide radicals. Part 10. Kinetics and mechanisms of the redox reactions of the 2,2,6,6-tetramethylpiperidine-1-oxyl derivatives in acetonitrile solutions on the gold electrode . Experiment and simulation analysis

AB . . . of 2,2,6,6-tetramethylpiperidine-1-oxyl, were investigated in MeCN solns. (c = 2.5 + 10-4-1 + 10-2 mol dm-3) on a Au working electrode. Cyclic voltammetry (v = 0.02-10.0 V s-1), impedance measurements, and controlled-potential electrolysis were used. The reaction parameters (E°f, Dox, αn). . .

ST nitroxide radical redox electrochem gold electrode; tetramethylpiperidineoxyl deriv kinetics redox; diffusion adsorption nitroxide radical; formal potential Taft const redox

IT Transfer coefficient
(of nitroxide radicals, in acetonitrile, on gold electrode)

IT 7440-57-5, Gold, uses
RL: USES (Uses)
(electrode, nitroxide radicals redox reactions on, in acetonitrile)

IT 2226-96-2 2564-83-2, TEMPO 3229-52-5 3229-68-3 3229-75-2 104725-71-5 144913-88-2 144913-89-3 144913-90-6
RL: PRP (Properties)

(formal potential and diffusion and electrochem. redox reactions of, in acetonitrile)

STIC
Scientific & Technical Information Center



NPL Services for Examiners

Search criteria: Refine or alter criteria

Article: Electrode reactions of nitroxide radicals. Part 10. Kinetics and mechanisms of the redox reactions of the 2,2,6,6-tetramethylpiperidine-1-oxyl derivatives in acetonitrile solutions on the gold electrode. Experiment and simulation analysis

Journal: Journal of electroanalytical chemistry
ISSN: 0368-1874 **Date:** 1992
Volume: 335 **Issue:** 1-2 **Page:** 233

Sorry, no holdings were found for this journal.

Please see additional options below for finding this journal.

Additional options for finding full-text:

Search STIC Catalog By Title By ISSN

Search for full-text journals at Scientific and Technical Information Center:

Title begins with [ ] Search

Contact Your STIC EIC

Please obey MPEP Section 904.02 (c) - Internet Searching [R3] and USPTO "Rules of the Road (PDF Doc when using Internet resources.

If you cannot access a file because of a missing or non-working plugin, please contact the Help Desk at 2-9000 for installation assistance.